

BMID 9809US.ST25.txt
SEQUENCE LISTING

<110> Dwulet, Francis
McCarthy, Robert
Balgobin, Neil

<120> ENZYME/TAG BINDING AND DETECTION SYSTEM

<130> BMID 9809US

<160> 13

<170> PatentIn version 3.0

<210> 1
<211> 10
<212> PRT
<213> mammalian

<220>
<221> misc_feature
<222> (4)..(4)
<223> the nucleotide at this position can be lysine or arginine

<220>
<221> misc_feature
<222> (5)..(5)
<223> the nucleotide at this position can be glycine or alanine

<220>
<221> misc_feature
<222> (6)..(6)
<223> the nucleotide at this position can be arginine, glycine or serin

<400> 1

Gly Pro Cys Xaa Xaa Xaa Phe Ile Arg Tyr
1 5 10

<210> 2
<211> 11
<212> PRT
<213> mammalian

<220>
<221> misc_feature
<222> (1)..(1)
<223> the nucleotide at this position can be asparagine or glycine

<220>
<221> misc_feature
<222> (4)..(4)
<223> the nucleotide at this position can be proline or threonine

<220>
<221> misc_feature
<222> (5)..(5)
<223> the nucleotide at this position can be lysine or arginine

<220>
 <221> misc_feature
 <222> (8)..(8)
 <223> the nucleotide at this position can be asparagine or aspartate

<400> 2

Xaa Gly Cys Xaa Xaa Ile Tyr Xaa Pro Val Cys
 1 - 5 10

<210> 3
 <211> 9
 <212> PRT
 <213> snake venom

<220>
 <221> misc_feature
 <222> (2)..(2)
 <223> the nucleotide at this position can be arginine or leucine

<400> 3

Gly Xaa Cys Lys Ala His Ile Pro Arg
 1 5

<210> 4
 <211> 9
 <212> PRT
 <213> plant protease inhibitors

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> the nucleotide at this position can be arginine or proline

<220>
 <221> misc_feature
 <222> (2)..(2)
 <223> the nucleotide at this position can be leucine or proline

<220>
 <221> misc_feature
 <222> (4)..(4)
 <223> the nucleotide at this position can be isoleucine or serine

<220>
 <221> misc_feature
 <222> (5)..(5)
 <223> the nucleotide at this position can be threonine or arginine

<400> 4

Xaa Xaa Arg Xaa Xaa Phe Ile Pro Asp
 1 5

<210> 5
 <211> 11
 <212> PRT

<213> plant protease inhibitors

<220>

<221> misc_feature

<222> (5)..(5)

<223> the nucleotide at this position can be lysine or arginine

<400> 5

Cys_Ile Cys Thr Xaa Ser Ile Pro Pro Gln Cys
1 5 10

<210> 6

<211> 10

<212> PRT

<213> bird egg white trypsin inhibitors

<220>

<221> misc_feature

<222> (4)..(4)

<223> the nucleotide at this position can be lysine or arginine

<220>

<221> misc_feature

<222> (7)..(7)

<223> the nucleotide at this position can be serine or lysine

<400> 6

Val Ala Cys Xaa Ile Leu Xaa Pro Val Cys
1 5 10

<210> 7

<211> 10

<212> PRT

<213> bovine basic pancreatic trypsin inhibitor

<400> 7

Gly Pro Ser Lys Ala Arg Ile Ile Arg Tyr
1 5 10

<210> 8

<211> 10

<212> PRT

<213> Soybean Kunitz protease inhibitor

<400> 8

Ser Pro Tyr Arg Ile Arg Phe Ile Ala Glu
1 5 10

<210> 9

<211> 10

<212> PRT

<213> Soybean Bowman-Birk protease inhibitor

<400> 9

Ala Ser Thr Lys Ser Asn Pro Pro Gln Ser
1 5 10

<210> 10
 <211> 10
 <212> PRT
 <213> Sand Viper venom protease inhibitor

<400> 10

Gly Arg Ser Lys Ala His Ile Pro Arg Phe
 1 5 10

<210> 11
 <211> 10
 <212> PRT
 <213> Bovine secretory protease

<400> 11

Gly Ser Pro Arg Ile Tyr Asn Pro Val Ser
 1 5 10

<210> 12
 <211> 10
 <212> PRT
 <213> Chicken ovomucoid domain 3 protease

<400> 12

Val Ala Ser Arg Ile Leu Ser Pro Val Ser
 1 5 10

<210> 13
 <211> 10
 <212> PRT
 <213> Chicken ovomucoid domain 4 protease

<400> 13

Val Ala Ser Arg Ile Leu Leu Pro Val Ser
 1 5 10